




### **Medical professions**

- Slip-resistant sandals & clogs
- Antistatic-models for operating theatres



### Gastronomy & Kitchen area

- Clogs with heel strap and slip-resistant outsoles
- Resistant to oil and grease



### Service professions

 Non-marking sandals & clogs with heel strap and slip-resistant outsoles

04

14

# ALPRO® – safety and comfort!

"Comfort is the important thing!" – That's what everyone who is often on their feet for a long time every day says is the most important quality of their shoes. "Safety is the important thing!" – This is the answer one gets to the same question when it is posed to employers, professional associations and occupational insurance associations. Both characteristics are combined in the sandals and clogs of ALPRO® in a truly unique way.

All ALPRO® models have been tested by TÜV Rheinland, which means that they are safe!
All ALPRO® models have an anatomically formed footbed "by Birkenstock" and support your feet in a natural manner, thereby providing particular comfort.

Simply perfect when on the job! Your ALPRO®-Team







### Food industry

• Slip-resistant ALPRO clogs also available with steel toe cap



### Our all-rounders

 Casual sandals with soft footbed and non-marking outsoles, before, during and after work



### **ESD** professions

ISO-approved ESD protection

44

36



professions











### Fields of application

For which field of application are the pictured shoe models especially suited for? The easiest orientation is provided by these small information icons in the upper right corner of each double page.

### **Knee protection**

recommended by the employer's liability insurance association

 Knee cushions and protectors



### **Interesting facts**

The ALPRO® soft footbed	10
The ISO standards for	
professional footwear ′	16
The ALPRO® super-grip sole	18
Quality shoes "Made in Germany" 2	28
Environmental protection	
by ΔI PRO®	32

• The ESD ISO standards...... 48

3







## The ALPRO® moulded sole

### Firm stand, safe tread, slip-resistant profile

Especially in medical professions it is important to be able to trust one's equipment blindly. Therefore ALPRO® has developed the cork models, which offer comfort and protection tested by TÜV (German Technical Inspection Agency) due to special ALPRO® moulded sole – including slip resistance.



### Characteristics of the ALPRO® moulded sole:

 slip-resistant, tested by TÜV (German Technical Inspection Agency) in accordance with EN ISO 13287:2007, SRA

.....

- larger tread surface, improved standing properties
- especially light and cushioning
- cast, not punched: non-marking on floors





# Medical professions

**Note:** Thanks to the sliding heel strap, all C 165 clogs can be worn as a slipper both during and after work.



white • Birko-Flor ( 105 133 • size 36-42



millefleur red • Birko-Flor ( 105 423 • size 36-42



violett lilly • Birko-Flor 105 603 • size 36-42



summer night blue • Birko-Flor 105 643 • size 36-42



white • Leather 1 584 033 • size 36-42 2 584 031 • size 36-46

# The ALPRO® super-grip sole Slip-resistance combined with optimal cushioning



Note: The super-grip clog C 115 can be worn both with the heel strap and as a slipper.



C 115 super-grip grey branches • Birko-Flor f 582 366 • size 36-42



C 115 super-grip violett lilly • Birko-Flor f 582 336 • size 36-42



C 115 super-grip white • Leather f 582 036 • size 36-48 ₹ 582 034 • size 36-48



C 115 super-grip grey · Leather f 582 076 • size 36-48 ₹ 582 074 • size 36-48



C 115 super-grip red • Leather f 582 086 • size 36-42







C 100 super-grip summer night blue • Birko-Flor \$ 582 246 • size 36-42



C 100 super-grip white • Leather f 582 133 • size 36-42 f 582 131 • size 39-48



millefleur red • Birko-Flor (\* 105 523 • size 36-42



white • Leather f 584 533 • size 36-42 f 584 531 • size 39-46

### Characteristics of the original super-grip sole:

Based on its special structure with highly effective cushioning layers, the super-grip sole offers additional comfort. The EVA midsole automatically compensates for any ground unevenness, and the oil- and grease-resistant rubber tread sole has a slip-resistant effect, in addition to fulfilling the regulatory requirements of EN ISO 13287:2007, SRC. These properties make the super-grip sole the perfect choice for daily use in hospitals, laboratories and operating theatres.



# The ALPRO® soft footbed


Immediately soft – sandals and clogs your feet will love from the very first step

The ALPRO® soft footbed is much more than 'just' soft cushioning – the complete footbed consists of millions of microscopic air bubbles spread throughout the ALPRO® foam. In combination with the permanently elastic latex heel cushion, these tiny air bubbles promote healthy movement with every step, whilst relieving pressure from muscles when standing for long periods.



- Slip-resistant profile, tested by TÜV in accordance with EN ISO 13287:2007, SRC.
- Footbed centre made of ALPRO®-foam: millions of microscopic bubbles offer the best cushioning.
- Latex heel cushion has a shock-absorbing effect with every step.
- Suede lining on the sole creates a pleasantly soft feel







During physical strain.



In motion.







P 250 white • Birko-Flor f 500 333 • size 36-42 f 500 331 • size 39-46



white • Leather • 592 733 • size 36-42 • 592 731 • size 39-46





**Note:** All shoes on this page are fitted with a soft footbed.



white • Leather f 599 733 • size 36-42 f 599 731 • size 39-46



white • Birko-Flor f 500 233 • size 36-42 f 500 231 • size 39-46

# The ALPRO® antistatic clogs

Sustainable, antistatic and extraordinary comfortable



green • ALPRO®-foam 040 262 • size 36-47







A 650 Air antistatic blue • ALPRO®-foam © 040 252 • size 36-47

When walking on different surfaces, people gradually build up an electric charge. Given that even the smallest electrostatic discharge can lead to serious complications in operating theatres or intensive care wards, effective countermeasures must be taken.

Antistatic clogs made of ALPRO®-foam protect intensive care patients and sensitive operating theatre technology from such hazardous discharges. Charges are gently dissipated and larger electrostatic pulses are prevented.

All A 650 and A 650 Air operating theatre clogs are equipped with replaceable antistatic footbeds. The A 470 AS clogs have an integrated, preformed footbed that, like the entire clog, is made of a flexible, antistatic foam mixture.



A 650 Air antistatic white • ALPRO®-foam 040 242 • size 36-47





**Note:** All articles on this double page are cleanable up to  $60^{\circ}$  C.





### Medical professions



blue • ALPRO®-foam 030 252 • size 36-47



A 470 antistatic white • ALPRO®-foam 105 136 • size 35-46



A 650 antistatic green • ALPRO®-foam © 030 262 • size 36-47




A 4/U antistatic green • ALPRO®-foam 105 446 • size 35-46











# Tested for safety, perfect protection!

The ISO standards are valid worldwide for protective and professional footwear

### The EN ISO standards

At the end of the 90s, a series of pan-European regulations were established for protective, professional and safety footwear. Based on the following regulations, TÜV Rheinland (German Technical Inspection Agency) tests and approves ALPRO® models.

- · EN ISO 20344: Requirements and test methods
- · EN ISO 20345: Safety footwear specifications
- · EN ISO 20346: Protective footwear specifications
- · EN ISO 20347: Occupational footwear specifications

Professional footwear refers to all shoes that have slip-resistant, antistatic or similar qualities. Generally speaking, occupational shoes are not equipped with any special toe protection.

Models with toe protection are grouped in the categories of protective footwear (e.g. plastic caps, test energy up to 100 joules) or safety footwear (steel toe caps, test energy up to 200 joules).

### Classification of standards

- SB: Standard (refers to general basic requirements; open-heel models can also be part of this classification);
- S1: Standard safety footwear = SB + antistatic + energy absorption in heel area:
- S2: Standard safety footwear for wet areas;
- S3: Standard safety footwear for wet areas with puncture-resistant, profiled sole and closed-heel area

# ALPRO® models certified in accordance with DIN ISO-standards

The majority of ALPRO® models meet one of the EN ISO professional footwear standards.

The ALPRO® PU-clogs without steel toe cap comply with the EN ISO 20347:2007, SRC, E, OB standard.

The soles of our ALPRO® models have been tested by TÜV Rheinland in accordance with EN ISO 13287:2007. This regulation specifies that at least one of the following three categories must be fulfilled:

- · SRA Slip resistance on ceramic tiles with cleaning agent
- · SRB Slip resistance on steel floors with glycerol
- SRC Slip resistance on ceramic tiles with cleaning agent and on steel floors with glycerol

ALPRO® sandals and clogs with soft footbed and super-grip sole and ALPRO® PU-clogs have passed the SRC category. ALPRO® models with the ALPRO® moulded sole meet the SRA category.

In short: with ALPRO®, you're guaranteed to be sure-footed!

# ALPRO<sup>®</sup> clog A 640 with steel toe cap certified in accordance with EN ISO 20345:2007

The slip resistance of Clog A 640 with steel toe cap was tested by  $T\ddot{U}V$  Rheinland in accordance with EN ISO 20345:2007, SRC.

#### Positive results:

The sole profile is slip-resistant on ceramic tiles with cleaning agent and on steel floors with glycerol.







Note: All shoes on this page

are fitted with a soft footbed.

f 599 743 • size 36-42

€ 599 741 • size 39-46

17

# The ALPRO® super-grip sole

Slip-resistant, flexible, resistant to oil- and grease

Like a sandwich, the super-grip sole has a soft elastic EVA midsole between the tested anti-slip rubber tread sole (EN ISO 13287:2007, SRC) and the cushioning cork-latex footbed. This compensates for any floor unevenness and promotes healthy movement when walking.



### Characteristics of the original super-grip sole:

Based on its special structure with highly effective cushioning layers, the supergrip sole offers additional comfort. The EVA midsole automatically compensates for any ground unevenness, and the oil- and grease-resistant rubber tread sole has a slip-resistant effect, in addition to fulfilling the regulatory requirements of EN ISO 13287:2007, SRC. These properties make the super-grip sole the perfect choice for daily use in kitchens and in the gastronomy.







# ALPRO® – Made in Germany

High product quality, modern safety and environment standards





C 115 super-grip delicate apple black • Birko-Flor f 582 526 • size 36-42







**Note:** The super-grip clog C 115 can be worn both with the heel strap and as a slipper.



C 115 super-grip black • Leather f 582 046 • size 36-48 f 582 044 • size 36-48



C 115 super-grip white • Leather £ 582 036 • size 36-48 £ 582 034 • size 36-48





Note: Replaceable footbeds for A 630 and A 640 can be viewed on page 35.



### A 640 with steel toe cap

The complete protection including pleasant comfort and optimal cushioning.







A 640 with steel toe cap white • ALPRO®-foam f 020 292 • size 36-47



A 630 without steel toe cap white • ALPRO®-foam f 010 292 • size 36-47




A 640 with steel toe cap black • ALPRO®-foam f 020 272 • size 36-47



A 630 without steel toe cap black • ALPRO®-foam f 010 272 • size 36-47







# The ALPRO® moulded sole

Slip-resistant, cushioning, singly cast



Contrary to other soles, the ALPRO® moulded sole, as the name already explains, is not punched, but singly cast. Therefore it does not leave marks on even floors and has a very slip-resistant effect on ceramic tiles with cleaning agent (tested by TÜV Rheinland based on EN ISO 13287:2007, SRA).



white • Birko-Flor ( 105 133 • size 36-42



summer night blue • Birko-Flor (\* 105 643 • size 36-42



black • Birko-Flor 105 443 • size 36-42



black patton • Birko-Flor f 105 853 • size 36-42









for slim and slender feet



for normal and sturdy feet

### Characteristics of the ALPRO® moulded sole:

- slip-resistant, tested by TÜV (German Technical Inspection Agency) in accordance with DIN EN ISO 13287:2007, SRA
- larger tread surface, improved standing properties
- especially light and cushioning

f 584 043 • size 36-42 ₹ 584 041 • size 36-46

• cast, not punched: non-marking on floors



# ALPRO® with heel straps

Firm grip, reliable slip resistance, soft tread

Heel straps are obligatory in many professions for a good reason. Only this way can the shoe fit firmly on the foot without slipping off. In-depth guidelines concerning the criteria to be followed when purchasing shoes for use in kitchens, the catering and gastronomy sector should be obtained from your employer and employer's liability insurance association.



### Characteristics of the ALPRO® ProFashion-sole:

- · cushioning and flexible
- imperishable and abrasion-proof
- · resistant to oil and grease
- profile depth > 2.5 mm
- slip-resistant, TÜV-tested in accordance with EN ISO 13287: 2007, SRC









white • Birko-Flor f 500 433 • size 36-42



millefleur red • Birko-Flor 6 500 023 • size 36-42



summer night blue • Birko-Flor 500 943 • size 36-42



black • Birko-Flor f 500 443 • size 36-42



black patton • Birko-Flor 500 853 • size 36-42



**Note:** All shoes on this page are fitted with a soft footbed.

# Secure hold up to the ankle

The new S 300 super-grip for catering und gastronomy.


The new S 300 SL with super-grip sole was developed to meet the high requirements for professions in the gastronomy sector: three individually adjustable straps, one right above the ankle, make for a secure hold with each step.



black patton • Birko-Flor § 582 056 • size 36-42



S 300 SL black • Birko-Flor f 582 066 • size 36-42



### "Made in Germany" – more than just a statement of place

Shoes from Germany have an outstanding international reputation. And justifiably so!

The quality standards of German products are found nowhere else in the world. With ALPRO® you feel this with every step. Product development, production, marketing and sales are centrally organised from Rheinland-Pfalz.

"Made in Germany" has been a duty as well as an honour for ALPRO®, since the founding of the company in 1993. Always being directly on location, further developing our shoes together with our partners, as well as ensuring our high level of quality in this way, are inseparable from our company philosophy!

We remain exclusively in Germany, thanks to technological progress and German engineering that consistently represents the state of the art. As a result, we have optimised and efficiently coordinated many processes in the past years. For instance, we were able to achieve a doubling of the shoe-press operations with improved quality and compliance with the latest environmental standards.





The soft footbeds by ALPRO® offer an extremely soft and pleasant comfort from the first step on. The ultra flexible foam structure of the bedding is very cushioning – ideal for all those, who have to be on their feet all day.



black • Leather 1 599 743 • size 36-42 2 599 741 • size 39-46



f 599 733 • size 36-42f 599 731 • size 39-46



**Note:** All shoes on this page are fitted with a soft footbed.



white • Birko-Flor f 500 233 • size 36-42 f 500 231 • size 39-46



5 4 10 darkbrown • Birko-Flor f 510 293 • size 36-42 f 510 291 • size 39-46



black • Birko-Flor 6 500 243 • size 36-42 6 500 241 • size 39-46







# Sustainability and environment

Environmentally friendly production methods with every step

### Following nature's example

Every ALPRO® model takes its inspiration from nature. Nevertheless, our sandals and clogs are not only developed and produced based on anatomical considerations. During the entire production process, we work in close compliance with the latest environmental standards. And have been doing so since well before the topic became so prolific.

### Sustainable production

Since the company was founded in 1993, we select our suppliers and producers based on a range of measures to protect the environment, including resource-friendly, CFC-free production methods, low-energy buildings, and warm-water generation from photovoltaic systems.

All of this has helped us to reduce our energy consumption by over 95% in the last 15 years – our suppliers and production plants included.

### Modern recycling

All surplus ALPRO®-foam and ALPRO®-cell materials left over from sole production are reused – for instance, in the construction of children's play parks or sports centres, or as flooring or insulating material for noise protection. All of our cardboard boxes and packaging materials are completely recycled, too. In order to achieve this along with all of our customers and stockists, we have signed a waste disposal contract with Interseroh. This guarantees the correct and sustainable disposal of all ALPRO® delivery and packaging materials.

### Responsible catalogue production

Our commitment to the environment is not only limited to direct production methods. The ALPRO® catalogue is also printed on environmentally friendly FSC® paper. Paper with FSC® certification is produced in complete harmony with the environment – its components are

yielded exclusively from sources of responsible forestry. In such practices, the sensitive 'forest' ecosystem is encroached upon as little as possible. Nature is given enough time to regenerate and the forestry industry intervenes only when completely necessary.





### The ALPRO® guarantee

We guarantee that our activities on all levels fully comply with the latest European environmental standards – incidentally, the most demanding in the world. We are able to do this because our production processes are carried out with the finest partners exclusively in Germany. Only those who meet our high requirements can collaborate with us in the production of ALPRO® shoes.

This is something you can rely on in the future, too!

### Selecting the correct length is just as important as choosing the proper width.









### ALPRO® PU-clogs:

### Certified safety in accordance with:

**A 630**: EN ISO 20347:2007 SRC, OB **A 640**: EN ISO 20345:2007 SRC, OB





A 630 without steel toe cap white • ALPRO®-foam 6 010 292 • size 36-47



A 640 with steel toe cap white • ALPRO®-foam 
• 020 292 • size 36-47



A 630 without steel toe cap black • ALPRO®-foam 

© 010 272 • size 36-47



A 640 with steel toe cap black • ALPRO®-foam 6 020 272 • size 36-47

# **ALPRO® PU-clogs**

### Optimal protection – with or without steel toe cap

The ALPRO®-foam clogs with and without steel toe cap are an indispensable part of every-day life in the kitchen and food industry. They are equipped with an replaceable anatomically formed cork footbed and are washable up to  $60^\circ$  C.















Replacement footbed for A 630 and A 640 f 018 852 • size 36-47



A 630 without steel toe cap brown • ALPRO®-foam 

† 010 282 • size 36-47



A 630 without steel toe cap blue • ALPRO®-foam \$\cdot 010 252 • size 36-47



A 640 with steel toe cap blue • ALPRO®-foam 
{ 020 252 • size 36-47



A 630 without steel toe cap green • ALPRO®-foam 
6 010 262 • size 36-47




A 640 with steel toe cap green • ALPRO®-foam 

© 020 262 • size 36-47







# The ALPRO® soft footbed

Smooth, versatile, outstanding comfort.

Millions of microscopic air cushions distributed throughout the ALPRO®-foam material guarantee top comfort from the first step on! Simply slip on, get walking and feel great.







**Note:** All shoes on this double page are fitted with a soft footbed.





P 100 violett lilly • Birko-Flor { 265 603 • size 36-42



black patton • Birko-Flor £ 265 853 • size 36-42







break flower cream • Birko-Flor { 265 833 • size 36-42



millefleur red • Birko-Flor { 265 423 • size 36-42



summer night blue • Birko-Flor { 265 543 • size 36-42



delicate apple black • Birko-Flor f 263 523 • size 36-42

### The ALPRO® soft footbed:



In contrast to a soft sole with just one cushioning layer, the entire ALPRO® soft footbed consists of an infinity of tiny air cushions.



Three elements promote natural movement whilst relieving muscles:

- Footbed centre made of ALPRO®-foam: millions of microscopic bubbles offer the best cushioning.
- Latex heel cushion has a shock-absorbing effect with every step.
- **Suede lining** on the sole creates a pleasantly soft feel.

# The comfortable ALPRO® sandals

### The flexible soft footbed for unrivalled comfort

The ALPRO® slippers with soft footbeds are ideal to wear at home and in the office. These models offer comfortable, well-deserved relaxation before, during and after work. The flexible material of the footbed made of ALPRO®-foam is enjoyably soft and has an immediate positive effect from the first step on.



### Characteristics of the ALPRO® ProFashion-sole:

- · cushioning and flexible
- imperishable and abrasion-proof
- resistant to oil and grease
- profile depth > 2.5 mm
- slip-resistant, TÜV-tested in accordance with EN ISO 13287: 2007, SRC







f 500 133 • size 36-42

# The casual & light ALPRO® sandals Comfort for every day, from the first step on.








f 510 393 • size 36-42 € 510 391 • size 39-46



Note: All shoes on this double page are fitted with a soft footbed.

Perfect hold is guaranteed due to the combination of a high footbed edge and a supple upper material.









delicate apple black • Birko-Flor { 267 523 • size 36-42



f 500 203 • size 36-42 f 500 201 • size 39-46



summer night blue • Birko-Flor { 267 643 • size 36-42



taupe • Birko-Flor Suede \$ 500 373 • size 36-42 \$ 500 371 • size 39-46



blue • Birko-Flor f 500 323 • size 36-42 f 500 321 • size 39-46



mocha • Birko-Flor Suede † 500 643 • size 36-42 † 500 641 • size 39-46











Our antistatic sandals and clogs for reliable protection against electrostatic discharge in professions in ESD environments.





# The right ESD model for everyone!

Professional ESD antistatic protection in accordance with EN ISO 61340

### In the ESD collection by ALPRO® you have a choice between:

- three cushioning footbed types: soft footbed, original cork-footbed or cork soft bedding;
- two sturdy upper materials: comfortable natural leather or soft Birko-Flor;
- **two types of sole**: the extra light original-punched sole (EVA) or the pronounced form sole (ALPRO®-foam) of the soft footbed (profile depth > 2.5 mm).





C 115 ESD

white • Leather

₹ 584 036 • size 36-48

₹ 584 034 • size 36-48

\$ 584 710 • size 39-46





G 500 ESD

f 584 728 • size 36-42 f 584 720 • size 39-46







black • Leather f 575 148 • size 36-42 f 575 140 • size 39-48



white • Leather 1 576 138 • size 36-42 1 576 130 • size 39-48



white • Leather 1 575 138 • size 36-42 2 575 130 • size 39-48



f 576 148 • size 36-42 f 576 140 • size 39-48



blue • Leather 1 575 128 • size 36-42 2 575 120 • size 39-48



blue • Leather f 576 128 • size 36-42 f 576 120 • size 39-48

### ESD models with cork-footbed

### The current EN ISO standards for ESD shoes

ALPRO® ESD sandals and clogs have been tested by TÜV Rheinland. All ALPRO® ESD models fully comply with EN ISO 61340 in the recommended contact resistance range between  $10^5$  and  $3.4 \times 10^7$  ohm.



white • Birko-Flor f 578 138 • size 36-42 f 578 130 • size 39-46



f 578 158 • size 36-42 f 578 150 • size 39-46



black • Birko-Flor 578 148 • size 36-42 578 140 • size 39-46



# Danger: electrostatic discharges

ESD is the international abbreviation for electrostatic discharge. When two objects with different charges attract, a charge equalisation occurs – often in the form of a visible spark or electric shock within the timeframe of a microsecond.

For humans, this discharge can only be felt when it exceeds 3,000 volts. Nevertheless, 30 volts are enough to damage electronic components, and charges as low as five volts can cause serious damage or even destroy sensitive high-frequency and semiconductor products such as microchips and PCBs.

As a result of this, anyone who works with such sensitive components – and/or wants to save themselves and others from unpleasant shocks – requires professional equipment to protect against hazardous discharges and to prevent components from being destroyed.

# Protection: footwear with ESD resistance

In accordance with EN ISO 61340, ESD shoes provide reliable protection against the aforementioned danger of electrostatic discharge in the recommended contact resistance range between  $10^5$  and  $3.4 \times 10^7$  ohm.

In order to ensure that ESD shoes are effective, special conductive flooring must be fitted correctly. The following factors should also be considered concerning electrostatic dissipation: interaction between various ground types and different sole materials (PU, EVA), clothing, type of touch and climate.

# ALPRO® ESD models are tested in accordance with EN ISO

ALPRO® ESD sandals and clogs have been tested by TÜV Rheinland. All ALPRO® ESD models fully comply with EN ISO 61340 in the recommended contact resistance range between  $10^5$  and  $3.4 \times 10^7$  ohm.







f 571 038 • size 35-48 ₹ 571 030 • size 35-48



f 571 048 • size 35-48 ₹ 571 040 • size 35-48



f 571 058 • size 35-48 ₹ 571 050 • size 35-48




f 571 068 • size 35-48 ₹ 571 060 • size 35-48

### The ALPRO® **ESD** function

Electrical contact resistance ESD shoes as a primary measure in the shoe / floor system

All ESD models by ALPRO® meet the specifications for professional ESD environments from  $10^{5}$  to  $3.4 \times 10^{7}$  ohm in accordance with EN ISO 61340.



ESD shoes in accordance with EN ISO 61340 provide protection in the recommended contact

- C = Conductive
- D = Dissipative
- S = Shielding

# Well protected against electrostatic discharge

### The EN ISO antistatic standards for ESD shoes



basalt • Birko-Flor nubuck 574 068 • size 35-48 574 060 • size 35-48



blue • Birko-Flor f 574 058 • size 35-48 f 574 050 • size 35-48



black • Birko-Flor f 574 048 • size 35-48 f 574 040 • size 35-48



f 574 038 • size 35-48 f 574 030 • size 35-48

### Characteristics of the original ESD cork footbed

### The anatomic form

offers generous space for toes and feet, supports balance and nurtures healthy feet.

#### The toe bar

guides the toes, promoting the natural rolling movement of the foot.

# The integrated static inhibitor ensures permanent, gentle dissipation of electrostatic charges.

The distinct footbed shape fits the natural form of the sole of the foot.

The cushioning cork centre adapts perfectly to the sole of the foot.

#### The deep heel cup

keeps the foot firmly inside the footbed and ensures a natural grip.







Note: All ESD clogs on this page have a special air-permeable surface structure in a carbon linear design for foot temperature regulation.



C 130 ESD

black • Birko-Flor • breathable f 575 048 • size 36-42 ₹ 575 040 • size 39-48



black • Birko-Flor • breathable f 576 048 • size 36-42 ₹ 576 040 • size 39-48



navy • Birko-Flor • breathable f 575 028 • size 36-42 € 575 020 • size 39-48



navy • Birko-Flor • breathable f 576 028 • size 36-42 ₹ 576 020 • size 39-48



white • Birko-Flor • breathable f 575 038 • size 36-42 



white • Birko-Flor • breathable f 576 038 • size 36-42 € 576 030 • size 39-48

# The ALPRO® soft bedding ESD

Optimal protection and soft comfort

# ESD soft bedding structure



- 2. Natural rubber foam
- 3. Upper jute layer
- 4. Cork-latex centre
- 5. Lower jute layer

Different kinds of flooring automatically cause electrostatic charges to build. Subsequent contact with patients, medical devices or conductive materials creates a sudden, jolting discharge. Sparks occur, and the individual receives a brief 'shock'.

ALPRO $^{\circ}$  ESD models help to prevent electric shocks in a resistance range from  $10^5$  to  $3.4 \times 10^7$  ohm (in accordance with EN ISO 61340).



white • Leather • soft bedding f 576 188 • size 36-42 f 576 180 • size 39-48



black • Leather • soft bedding 576 088 • size 36-42 576 080 • size 39-48



blue • Leather • soft bedding f 575 228 • size 36-42 f 575 220 • size 39-48




blue • Leather • soft bedding • 576 288 • size 36-42 • 576 280 • size 39-48





### Characteristics of the ESD soft footbed (page 54)



# The ALPRO® ESD soft footbed

ESD function tested by TÜV in accordance with EN ISO 61340

Contact with sensitive high-frequency technology and electronic components requires increased safety measures. In combination with the general ESD equipment in the workplace, the ALPRO® ESD models provide effective protection against unintentional electrostatic discharges.



ESD is the international abbreviation for electrostatic discharge. ESD refers to the rapid and sudden transfer of an electric charge after unnoticed build-up.

The ALPRO® ESD models prevent this unpleasant effect. They meet all requirements in the professional ESD sector from  $10^5$  to  $3.4 \times 10^7$  ohm in accordance with EN ISO 61340. Possible areas of use are working environments with sensitive high-frequency and semiconductor technology, at medical or pharmaceutical companies, but also with customer contact and at home.









white • Birko-Flor f 500 338 • size 36-42 f 500 330 • size 39-46 P 250 ESD black • Birko-Flor f 500 348 • size 36-42 f 500 340 • size 39-46



Note: All sandals on this page are fitted with an ESD soft footbed.



white • Birko-Flor \$ 500 238 • size 36-42 \$ 500 230 • size 39-46



### Comfort in two widths



for slim and slender feet



for normal and sturdy feet

€ 500 240 • size 39-46

# ESD models with soft footbed

Optimal protection against ESD, extremely soft and flexible


















### Vegan articles

All ESD sandals on this page are produced without the use of leather or any other material derived from animals.



P 210 ESD vegan navy • Birko-Flor nubuck § 596 020 • size 36-46




P 210 ESD vegan black • Birko-Flor \$ 596 030 • size 36-46



S 400 ESD vegan navy • Birko-Flor nubuck § 595 020 • size 36-46



S 400 ESD vegan black • Birko-Flor § 595 030 • size 36-46







# ALPRO® knee protection

### Knee protectors and knee cushions

ALPRO® knee protectors and knee cushions serve as a relief while performing work in a kneeling position on the ground or near the ground. They distribute small punctual strains of the kneecap broadly and therefore virtually dissolve the pressure on knee and kneecap. The consequences: less strains, barely any pain, more comfortable working.

ALPRO® knee protectors were developed in cooperation with the association of commercial and industrial workers' compensation insurance carriers.

ALPRO® knee cushion red • ALPRO®-foam 020 202 • normal 020 200 • broad



### Quick article search

Here you find an overview of all articles in our collection.































Replacement velcro strips black for knee protectors 020 203



C 115 super-grip black · Leather \$ 582 046 · size 36-48 \$ 582 044 · size 36-48

page 20



C 115 super-grip white · Leather 582 036 · size 36-48 € 582 034 • size 36-48

page 8/20



C 115 super-grip grey · Leather ( 582 076 · size 36-48 582 074 • size 36-48

page 8



C 115 super-grip red · Leather ( 582 086 · size 36-42

page 8



C 165 super-grip millefleur red · Birko-Flor 105 523 · size 36-42

page 9



C 100 super-grip summer night blue • Birko-Flor \$ 582 246 • size 36-42

page 9



C 100 super-grip black • Leather ₹ 582 143 • size 36-42

582 141 • size 39-48 page 19



white • Leather 582 133 • size 36-42 582 131 • size 39-48

page 9/19



G 500 super-grip black · Leather

₹ 584 543 • size 36-42 ₹ 584 541 • size 39-46 page 19



G 500 super-grip white · Leather ₹ 584 533 • size 36-42

€ 584 531 • size 39-46 page 9/19



₹ 582 066 • size 36-42 page 28



### Quick article search



mocha · Birko-Flor suede

€ 500 643 • size 36-42
€ 500 641 • size 39-46

taupe · Birko-Flor suede

1 500 373 · size 36-42

500 371 • size 39-46

page 43

page 43

summer night blue . Birko-Flor

page 43

1 267 643 · size 36-42

delicate apple black · Birko-Flor

page 43

1 267 523 • size 36-42





page 43

page 11/17

page 13

page 12

page 35

grey • Leather \$ 500 203 • size 36-42 € 500 201 • size 39-46

€ 592 731 • size 39-46



page 11/29

page 17

white . Birko-Flor € 500 233 • size 36-42 € 500 231 • size 39-46



black - Birko-Flor \$ 500 243 • size 36-42 500 241 · size 39-46 page 29



darkbrown - Birko-Flor f 510 293 • size 36-42 510 291 · size 39-46 page 29






€ 592 741 • size 39-46



















blue · ALPRO®-foam 030 252 · size 36-47 page 13



page 13

A 650 Air antistatic blue · ALPRO®-foam \$ 040 252 • size 36-47 page 12 page 12





page 35




white • ALPRO®-foam 010 292 • size 36-47 A 640 with steel toe cap © 020 292 · size 36-47 page 21/33





A 640 with steel toe cap

020 252 • size 36-47





for A 630 and A 640 018 852 • size 36-47 page 35



Thanks to the Kirchberg Klinik for the friendly support during our photo shooting.

### Quick article search



white • Birko-Flor 571 038 • size 35-48 571 030 · size 35-48 page 49



P 220 ESD black - Birko-Flor f 571 048 • size 35-48 571 040 · size 35-48

page 49



blue - Birko-Flor f 571 058 • size 35-48 571 050 ⋅ size 35-48 page 49 P 220 ESD basalt • Birko-Flor nubuck

₹ 571 068 • size 35-48 571 060 • size 35-48

S 440 ESD

white • Birko-Flor 574 038 • size 35-48 574 030 • size 35-48 page 50 S 440 ESD

black • Birko-Flor f 574 048 • size 35-48 574 040 • size 35-48

S 440 ESD blue - Birko-Flor

page 50

\$ 574 058 • size 35-48 € 574 050 • size 35-48 S 440 ESD basalt • Birko-Flor nubuck

₹ 574 068 • size 35-48 € 574 060 • size 35-48

page 50

page 49



white · Birko-Flor f 578 138 • size 36-42 578 130 · size 39-46

page 48

P 300 ESD

black · Birko-Flor 578 148 • size 36-42 578 140 · size 39-46

page 48

page 50



blue · Birko-Flor f 578 158 • size 36-42 € 578 150 • size 39-46 page 48

C 130 ESD breathable white • Birko-Flor f 575 038 • size 36-42 575 030 • size 39-48 page 51



C 130 ESD breathable black · Birko-Flor \$ 575 048 • size 36-42 575 040 • size 39-48

page 51

page 46



C 130 ESD breathable navy • Birko-Flor 575 028 · size 36-42 575 020 • size 39-48

page 51

page 47

page 46



C 100 ESD breathable white · Birko-Flor \$ 576 038 · size 36-42 576 030 • size 39-48

C 100 ESD breathable black · Birko-Flor € 576 048 • size 36-42 576 040 ⋅ size 39-48

page 51



navy • Birko-Flor ₹ 576 028 • size 36-42 576 020 • size 39-48 page 51 C 130 ESD

1 575 138 • size 36-42 575 130 • size 39-48 C 130 ESD

black · Leather 1 575 148 • size 36-42 575 140 • size 39-48

page 47

page 51



C 130 ESD blue • Leather ₹ 575 128 • size 36-42 575 120 • size 39-48 page 47

C 115 ESD

white . Leather

₹ 584 036 • size 36-48

584 034 • size 36-48



C 115 ESD black · Leather 584 046 • size 36-48 € 584 044 • size 36-48





₹ 584 728 • size 36-42 584 720 • size 39-46 page 46





C 100 ESD white · Leather { 576 138 · size 36-42 { 576 130 · size 39-48

C 100 ESD black · Leather f 576 148 · size 36-42 f 576 140 · size 39-48



blue · Leather ( 576 128 · size 36-42 ( 576 120 · size 39-48 page 47



P 220 ESD soft bedding white - Birko-Flor f 571 538 - size 35-48 page 53



page 47

P 220 ESD soft bedding
black · Birko-Flor

\$ 571 148 · size 35-48

\$ 571 140 · size 35-48

page 53



page 47

C 130 ESD soft bedding
blue · Leather

\$ 575 228 · size 36-42

\$ 575 220 · size 39-48 page 52



C 100 ESD soft bedding
white · Leather

\$ 576 188 · size 36-42

\$ 576 180 · size 39-48

page 52



C 100 ESD soft bedding black - Leather \$\circ\$ 576 088 - size 36-42 \$\circ\$ 576 080 - size 39-48 page 52



C 100 ESD soft bedding
blue · Leather
{ 576 288 · size 36-42
{ 576 280 · size 39-48 page 52



P 100 ESD white · Birko-Flor \$ 500 138 · size 36-42



P 100 ESD black · Birko-Flor \$ 500 148 · size 36-42



P 100 ESD summer night blue • Birko-Flor \$ 500 158 • size 36-42

page 56



S 100 ESD white • Birko-Flor \$ 500 438 • size 36-42

page 56



S 100 ESD black • Birko-Flor 500 448 • size 36-42

page 56

page 56



white · Birko-Flor \$ 500 338 · size 36-42 \$ 500 330 · size 39-46

page 55

page 56



black · Birko-Flor \$ 500 348 · size 36-42 \$ 500 340 · size 39-46

page 55



white • Birko-Flor \$ 500 238 • size 36-42 \$ 500 230 • size 39-46

\$ 410 ESD

S 410 ESD
black · Birko-Flor
f 500 248 · size 36-42
f 500 240 · size 39-46
page 55



P 210 ESD vegan navy • Birko-Flor nubuck \$ 596 020 • size 36-46

P 210 ESD vegan black · Birko-Flor \$ 596 030 · size 36-46

page 57



S 400 ESD vegan navy • Birko-Flor nubuck \$ 595 020 • size 36-46

page 57

page 55



S 400 ESD vegan black • Birko-Flor \$ 595 030 • size 36-46

page 57



Replacement footbed vegan for P 210 ESD and S 400 ESD 025 600 • size 36-46

page 57

page 57

Colour deviations may occur due to printing. Subject to change, printing and typographical errors.

No responsibility is taken for the correctness of the details provided.

©2012 ALPRO®, Vettelschoß







Art. No.: 081 190/06

